

What is claimed is:

- 1. A method for treating a patient having a wound, said method comprising locally administering an amount of a chemodenervating agent such that healing of 5 said wound is enhanced.
 - 2. The method of claim 1, wherein said chemodenervating agent is a botulinum toxin.
- 3. The method of Claim 1, wherein said botulinum toxin is selected from the group consisting of botulinum 10 toxin A, B, C, D, E, F, and G.
 - 4. The method of claim 3, wherein said botulinum toxin is botulinum toxin A.
 - 5. The method of claim \$\beta\$, wherein said botulinum toxin B.
- 15 6. The method of claim 1, wherein said chemodenervating agent is saxitoxin.
 - 7. The method of claim 1, wherein said chemodenervating agent is tetanus toxin.
- 8. The method of claim 1, wherein said 20 chemodenervating agent is tetrodotoxin.
 - 9. The method of claim 1, wherein said administering step is by injection.
 - 10 The method of claim 9, wherein said chemodene roating agent is subcutaneously injected.



- 18 -

- 11. The method of claim 9, wherein said chemodenervating agent is intramuscularly injected.
- 12. The method of claim 9, wherein said chemodenervating agent is percutaneously instilled.
- 5 13. The method of claim 1, said method further comprising administering a local anesthetic.
 - 14. The method of claim 13, wherein said local anesthetic is lidocaine.
- 15. The method of plaim 13, wherein said local 10 anesthetic is bupivacaine.
 - 16. The method of claim 13, wherein said local anesthetic is mepivacaine.
- 17. The method of claim 13, wherein said local anesthetic is administered prior to administration of 15 said chemodenervating agent.
 - 18. The method of claim 1, said method further comprising administering a local vasoconstrictive agent.
 - 19. The method of claim 18, wherein said local vasoconstrictive agent is epinephrine.
- 20 20. The method of claim 1, said method further comprising administering a local anesthetic and a vasoconstrictive agent.
- 21. The method of claim 20, wherein said local anesthetic and said vasoconstrictive agent are 25 administered prior to said chemodenervating agent.

15

- 19 -

22. The method of claim 1, wherein said wound is a facial wound.

M2/5

- 23. A composition comprising a chemodenervating agent, a local anesthetic agent, and a vasoconstrictive agent.
- 24. The composition of claim 23, wherein said chemodenervating agent is botulinum toxin.
- 25. An article of manufacture comprising packaging material and an amount of a chemodenervating agent, wherein said packaging material comprises a label that indicates said chemodenervating agent is useful for treating a patient having a wound, and wherein local administration of said amount of said chemodenervating agent enhances healing of said wound.
 - 26. The article of manufacture of claim 25, wherein said chemodenervating agent is a botulinum toxin.
 - 27. The article of manufacture of claim 25, wherein said botulinum toxin js botulinum toxin A.
- 28. The article of manufacture of claim 25, 20 wherein said botulinum toxin is botulinum toxin B.
 - 29. The article of manufacture of claim 25, said article of manufacturing further comprising a local anesthetic.
- 30 / The article of manufacture of claim 25, said 25 article of manufacture further comprising a local vasoconstrictive agent.

- 20 -

31. The article of manufacture of claim 25, said article of manufacture further comprising a local anesthetic and a local vasoconstrictive agent.

 $\frac{\Omega^2}{\Omega^3}$